

SAFETY DATA SHEET

SECTION 1 - Identification

1.1 Product Identifier

Product Name
• EPS Block and Board
Synonyms
• Expanded Polystyrene

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use • Foam product development

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer • Carpenter Co.

5016 Monument Ave. Richmond, Virginia 23230

(804) 233-0606

SECTION 2 - Hazards Identification

2.1 Classification of the Substance or Mixture

This product is not hazardous in the form in which it is shipped by the manufacturer, but may become hazardous through downstream activities (e.g. grinding, pulverizing) that reduce its particle size. Those hazards are described in Section 11: Toxicological Information.

2.2 GHS Label Element

Not applicable.

2.3 Other Hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3 - Composition/Information on Ingredients

EPS Block and Board is an "article", not a chemical, as defined in 29 CFR 1910.1200(c). Therefore, it does not meet the criteria of a substance or mixture.

SECTION 4 - First Aid Measures

4.1 Description of First Aid Measures

By route of inhalation

• Contact a physician if coughing, discomfort, or obstruction of air passage occurs.

By route of dermal contact
• Wash skin with soap and water.

By route of eye contact

• If contact with material occurs flush eyes with water.

By route of ingestion

 If more than a mouthful is swallowed, give 1 to 2 glasses of water. Seek medical attention.

SECTION 5 - Firefighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media

• Dry chemical, foam, carbon dioxide, water fog or fine spray. Do not use direct water spray.

Unsuitable Extinguishing Media

· No data available.

5.2 Special Hazards Arising From the Substance or Mixture

• Once ignited, urethane foam is difficult to extinguish. Foam fires that appear to be extinguished may smolder and re-ignite. Always have fire officials determine whether a fire has been extinguished.

5.3 Special Protective Actions for Firefighters

 Wear positive pressure self-contained breathing apparatus (SCBA). Once ignited, urethane foam will burn rapidly, releasing great heat and consuming oxygen at a high rate. In an enclosed space the resulting deficiency of oxygen will present a danger of suffocation to the occupants. Hazardous gases released by the burning foam can be incapacitating or fatal to human beings if inhaled in sufficient quantities.

SECTION 6 - Accidental Release Measures

No data available

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

- Keep away from heat and ignition sources.
- Minimize dust generation and accumulation.
- No open flames, no sparks and no smoking.
- Routine housekeeping should be instituted to ensure that dusts does not accumulate on surfaces.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Storage

• Maintain adequate sprinkler protection where large volumes of foam are kept. Check for compliance with

insurance regulations, local building codes or other legal requirements. Maintain aisle space to permit access for fire-fighting equipment and personnel to all

foam storage areas.

Incompatibilities • Aromatic solvents, strong oxidizing agents.

Other Information

• Be aware that terms sometimes used to describe

06/15/2018 Carpenter Co. Page **2** of **7**

polyurethane foam, like "fire retardant" and "flame resistant", do not mean fire safety under all conditions. Flammability ratings from small-scale laboratory tests are not to be taken as an indication of the materials' behavior under actual fire conditions.

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control Parameters

Exposure Limits/Guidelines

 OSHA has established PEL values of 15 milligrams per meters cubed for total dust and 5 milligrams per meters cubed of respirable dust (8-hour TWA) for such particulates.

8.2 Exposure Controls

Engineering Controls

• Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygendeficient environment.

Eye/Face Protection

Respiratory Protection

Skin Protection

Environmental Exposure Controls

Additional Protection Measures

- Unless exposure to foam dust is anticipated, dust masks, goggles, and gloves are not required.
- None required under normal use.
- Wear suitable working clothes. Long sleeves are recommended if arms are repeatedly rubbed against foam.
- No data available.
- Use near eyewash station and safety shower.

SECTION 9: Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	• Solid	Odor	 Slight hydrocarbon odor
Appearance	 No data available 	Odor Threshold	 No data available
Color	 White 		
General Properties			
Boiling Point	 Not measurable 	Melting Point	 Not measurable
Decomposition Temperature	 No data available 	рН	 Not measurable
Density	• 1 to 10 lb(s)/ft ³	Water Solubility	• Low
Solvent Solubility	 No data available 	Viscosity	 No data available
Explosive Properties	 No data available 	Oxidizing Properties	 No data available
Decomposition Temperature	Not measurable	Specific Gravity/Relative Density	• <1.0 (H ₂ O=1)
Volatility			
Vapor Pressure	 Not measurable 	Vapor Density	 Not measurable
Evaporation Rate	 Not measurable 	VOC (Vol.)	 No data available
Volatiles (Vol.)	 No data available 		
Flammability			
Flash Point	 No data available 	LEL	 No data available
UEL	No data available	Flammability (solid, gas)	• WILL BURN IN FIRE
Auto-ignition Temperature	• >800°F	y ,	
Environmental			
Octanol/Water Partition Coefficient	Not measurable		

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

No data available.

10.4 Conditions to Avoid

Prolonged exposure to temperatures in excess of 240 degrees Fahrenheit may cause some loss of volatile components. Do not expose urethane foam to open flames or any other direct or indirect high temperature ignition sources such as burning operations, welding, space heaters or naked lights.

10.5 Incompatible Materials

No data available.

10.6 Hazardous Decomposition Products

No data available.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

No data available.

11.2 Potential Health Effects

Inhalation

Acute • Foam dust generated from such operations as continuous

grinding or buffing can create nuisance particulates, which can cause irritation to the respiratory tract or even lung infection,

airway obstruction or fibrosis.

Chronic • None known.

Skin

Acute • Under normal conditions of use, no health effects are expected.

Chronic • None known.

Eye

Acute • Foam dust can cause eye irritation.

Chronic • None known.

Ingestion

Acute • Under normal conditions of use, no health effects are expected.

Chronic • None known.

SECTION 12: Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and Degradability

No data available

12.3 Bioaccumulative Potential

No data available

12.4 Mobility in Soil

No data available

12.5 Other Adverse Effects

No data available

SECTION 13: Disposal Considerations

13.1 Waste Disposal Method

Product Waste

- Do not dump into any sewers, on the ground, or into any body of water.
- All disposal methods must be in compliance with Federal, State/Provincial, and local regulations.

Packaging Waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport Information

U.S. DOT/IATA/IMDG

Not regulated as hazardous for shipment.

SECTION 15: Regulatory Information

15.1 Regulatory Status

CERCLA Hazardous Substances (40 CFR 302): None reportable.

SARA 311/312: None reportable.

SARA 313: None reportable.

15.2 US State Regulations

MARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warning.ca.gov

15.3 International Inventories*

United States: All components of this product are listed on the TSCA inventory.

SECTION 16: Other Information

16.1 NPCA/HMIS RATINGS

Health: 1 Flammability: 1 Reactivity: 0

16.2 EU CLP Relevant Phrases

S 24/25 Avoid contact with skin and eyes.

16.3 Preparation By

I.H. Department

16.4 Preparation Date

September 29, 2009

16.5 Last Revision Date

June 15, 2018 - Section 15

16.6 Disclaimer/Statement of Liability

WARNING

EPS FOAM IS FLAMMABLE. MODIFIED EPS LIKE MOST PLASTIC FOAMS IS FLAMMABLE. DO NOT EXPOSE EPS TO OPEN FLAMES OR OTHER DIRECT OR INDIRECT HIGH TEMPERATURE IGNITION SOURCES SUCH AS BURNING OPERATIONS, WELDING, BURNING CIGARETTES, SPACE HEATERS OR NAKED LIGHTS. WHEN BURNING, EPS WILL CONSUME OXYGEN, RELEASING GREAT HEAT AND SMOKE AND POTENTIALLY TOXIC GASES SUCH AS CARBON MONOXIDE AND CARBON DIOXIDE. DO NOT USE, INSTALL OR STORE EPS EXCEPT IN STRICT COMPLIANCE WITH BOCA, ICBO OR SBCCI CODES, AS WELL AS ANY FIRE-RELATED LAWS/ORDINANCES. FAILURE TO COMPLY WITH THESE CODES/LAWS MAY INCREASE THE RISK OF FIRE AND RESULT IN PERSONAL INJURY OR PROPERTY DAMAGE FROM SMOKE, FLAMES OR WATER.

The information presented here is offered for your consideration, investigation and verification. The information is presented in good faith and was obtained from sources Carpenter believes to be reliable. Carpenter, however, makes no representation as to the completeness and accuracy. <u>Carpenter makes no warranty</u>, express or implied, with respect to the information contained herein.

Carpenter cannot anticipate all conditions under which this information and the product may be used. The conditions of handling, storage, use, and disposal of the product are beyond Carpenter's control. Thus, we expressly disclaim responsibility or liability for any loss, damage or expense arising out of reliance on the information contained herein. You are advised to make your own determination as to safety, suitability and appropriate manner of handling, storage, use and disposal.